




ALUMINUM BUBBLE LEVEL WITH STRONG MAGNET K Aidan

Super strong neodymium magnet at the measuring surface.
Reliable Made-in-Japan quality.



MAL-150WKD



MAL-150BKD

USE

- To measure horizontal and vertical

MATERIAL

- Body: aluminum


FEATURES

- Super strong neodymium magnet on the measuring surface
- Flat side protector for stable measurement upright
- Easy to distinguish by two different colors for horizontal and vertical tubes
- Luminous tape under bubble tube that is useful in dark
- V grooved on measuring face that works great on spherical objects
- With Kaidan style graduation

SPECIFICATIONS

- Bubble tube sensitivity: $0.50\text{mm/m} = 0.0286^\circ$
- Accuracy: Less than $\pm 1.00\text{mm/m} = \pm 0.573$

Flat side protector



Flat side protector for stable measurement upright

2 different colors of bubble tubes



Easy-to-distinguish by 2 different colors of vertical tube and horizontal tube

V grooved on measuring face



Suitable for spherical objects such as pipe

Three times as strong as our other levels



Super strong neodymium magnet at the measuring surface. Suitable for steel work and plant work.

Order No.	Model No.	Color	Bubble tube type	Length (mm)	Height (mm)	Thickness (mm)	Weight
111353	MAL-150WKD	White	Horizontal · Vertical	150	50	20	150g
111354	MAL-150BKD	Black	Horizontal · Vertical	150	50	20	150g



LEVELNIC

PRECISION LEVEL

ANGLE

LEVEL

PROTRACTOR

SUPER STRONG MAGNETIC BUBBLE LEVEL



Twice as strong as our other magnetic levels

USE

- Horizontal, vertical, and 45° measurements

MATERIAL

- Plastic

FEATURES

- Magnetic measuring surface (attraction force: 118N)
- V grooved measuring surface for convenient measurement on round objects

SPECIFICATIONS

- Bubble tube sensitivity: $0.50\text{mm/m} = 0.0286^\circ$
- Vial accuracy: Within $\pm 1.50\text{mm/m} = \pm 0.0859^\circ$
- 4-line acrylic bubble tube with phosphorescent tape. 360° acrylic spot level (ML-100KB · ML-100KW).



ML-150KW



ML-100KB

Order No.	Model No.	Color	Bubble tube type	Length (mm)	Height (mm)	Thickness (mm)	Weight
111218	ML-100KB	Black	Horizontal · Vertical	100	47	20	80g
111219	ML-100KW	White	Horizontal · Vertical	100			80g
111220	ML-150KB	Black	Horizontal · Vertical · 45°	150	47	20	110g
111221	ML-150KW	White					